



Base Systems : ✓ : Available
MBS : Metal Base System
CBS : Cement Base System

▢ : Call to add it
✗ : Not Available

PANTHERA DENTAL PLATFORMS DATABASE

PLATFORM IDENTIFICATION				MILLING OPTIONS								3SHAPE / DENTALWINGS / EXOCAD								ANGULATED SCREW CHANNEL																
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	BAR / BRIDGE				Abutment Material	3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge		Metal Abut		Zr-Pekk Bar-Bridge		Zr-Pekk Abut		Angulation max (original screwdriver)		ANGULATION MAX (Panthera screwdriver)		SCREWDRIVER		RECOMMENDED TORQUE	
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release		Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢			
3M	IMTEC / Endure CL	4,3	ESPE	✓	✓	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	6	20	34015 / 34019	15 Ncm					
	IMTEC / Endure CL	5,1	ESPE	✓	✓	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Narrow platform	3,0	D1-3	✓	✓	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
A.B. Dental Devices	Standard platform	3,5	D1-375	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Angular Abutment / Straight Adaptor	4,5	D1-P14	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	One piece Angular Adaptor	4,5	D1-P24	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
Abutment Direct	Straight Abutment / Angular Adaptor Single Unit	4,9	D1-P64	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	CR-Series	3,5	CR 50	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
Ace	Soft-Tapping / Cylinder Implants / Standard Abutment	3,75 / 4,0	12-7050-01	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Not Available	4,0	12-7520-01	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
Adin	ClosedFit - WP	4,3	WP9007	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	ClosedFit - NP	3,0	NP9007	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	ClosedFit - RP	3,6	RP9007	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
AlfaGate	Standard Internal Hex	3,4	AGM-507	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
Alpha Bio	Internal Hex Connection	2,42	(A) 6080	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
Anthogyr	TCT-N Abutment System for straight Abutment - Restoration up to 30°	3,2 / 3,75 / 4,2 / 5,0	BTT-N (5211)	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✗	✗	✗	✗	5	20	34015 / 34019	15 Ncm					
	TCT tapered Connection Abutment system - Restoration up to 30°	3,2 / 3,75 / 4,2 / 5,0	BTT (8030)	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✗	✗	✗	✗	5	20	34015 / 34019	15 Ncm					
	OSSIFIT System	4,8	OSA6003	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✗	✗	✗	✗	5	20	34015 / 34019	15 Ncm					
	AXIOM System	2,7	OPC7000	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✗	✗	✗	✗	5	20	34015 / 34019	15 Ncm					
	AXIOM System	2,7	OPAC7000	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✗	✗	✗	✗	5	20	34015 / 34019	15 Ncm					
Astratech (Dentsply)	Aqua 20 UniAbutment TX	4,0	22669	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Aqua 45 UniAbutment TX	4,0	22670	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Aqua Angled Abutment TX	4,0	24227	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Yellow TX	3,0	24877	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Aqua TX	4,0	24878	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
	Lilac TX	5,5	24879	✓	✓	▢	▢	▢	▢	✓	✓	✓	▢	▢	▢	▢	▢	▢	▢	▢	▢	✓	▢	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm					
</																																				



PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System



PANTHERA DENTAL PLATFORMS DATABASE

Base Systems : ✓ : Available
MBS : Metal Base System □ : Call to add it
CBS : Cement Base System ✗ : Not Available



Base Systems : ✓ : Available
MBS : Metal Base System □ : Call to add it
CBS : Cement Base System ✗ : Not Available

PANTHERA DENTAL PLATFORMS DATABASE

PLATFORM IDENTIFICATION				MILLING OPTIONS										3SHAPE / DENTALWINGS / EXOCAD										ANGULATED SCREW CHANNEL						
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	BAR / BRIDGE					Abutment Material	3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER	RECOMMENDED TORQUE	
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart		Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
Intra - Lock	GOLD&BLUE Standard / GOLD&BLUE Wide / Conic Straight	3.4 / 3.75 / 4.0 / 4.75	CAA	✓	□	□	□	✓		□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	6	20	34015 / 34019	15 N-cm	
	GOLD&BLUE Standard / GOLD&BLUE Wide / Conic 17°	3.4 / 3.75 / 4.0 / 4.75	CAA17	✓	✓	□	□	✓		□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	5	20	34015 / 34019	15 N-cm	
	GOLD&BLUE Standard Two-piece system	3.4 / 3.75 / 4.0	SLA	✓	✓	✓	□	□		□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	5	20	34015 / 34019	34015 / 34019	
	INTRALOCK™ INTERNAL CONNECTION	4.3	IIA	✓	□	□	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	5	20	34015 / 34019	34015 / 34019	
	Unifex	3.4 / 3.75 / 4.0 / 4.75	HLA	✓	□	□	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	5	20	34015 / 34019	15 N-cm	
	GOLD&BLUE Standard / GOLD&BLUE Wide / PlatOne	3.4 / 3.75 / 4.0 / 4.75	IFAA	✓	□	□	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	5	20	34015 / 34019	15 N-cm	
KatImplants	KAT System Implant Level Abutments	3.5	005001	✓	□	□	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	✗	✗	✗	✗	✗	✗	✗	✗
Klockner	Vega NV 3.5	3.5	18 03 04	✓	✓	□	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	✗	✗	✗	✗	✗	✗	✗	✗
Keystone Dental	PrimaConnex SD Multi-Unit	3.5	45160K	✓	✓	✓	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	□	□	□	□	□	□	□	□
	PrimaConnex RD Multi-Unit	4.1	45160K	✓	✓	✓	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	□	□	□	□	□	□	□	□
	PrimaConnex WD Multi-Unit	5.0	45167K	✓	✓	✓	□	□		✓	□	□	□	□	□	□	□	□	□	□	□	✓	□	□	□	□	□	□	□	□
	Internal TILobe / Tlobemaxx / Multi Unit	7.0 / 8.0 / 9.0	45328K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
	Internal TILobe / Tlobemaxx UCLA abutment	7.0	45891K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
	Internal TILobe / Tlobemaxx UCLA abutment	8.0	45894K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
	PrimaConnex Internal Connection	3.5	45160K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
	PrimaConnex Internal Connection	4.1	45161K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
	PrimaConnex Internal Connection	5.0	45162K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗
	Renova SDI / RDI	3.75 / 4.0 / 4.75	410530-4K	✓	□	□	□	□		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Medical	Restore SD / RD / Conical Abutment	3.8	R9845-40K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Restore WD / Conical Abutment	5.0	R9845-50K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Genesis Internal TILobe	3.6 / 3.8	G71107	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Restore SD System	3.3	R9893-34K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Restore RD System	3.75 / 4.0	R9891-40K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Restore WD System	5.0 / 6.0	R9893-50K	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Stage 1 Implant system RDS	3.3 / 4.1 / 4.8	S2404K	✓	□	□	□	□		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Muli Unit Branemark RP	4.0	AMU04	✓	□	□	□	□		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AnyRidge Regular / Wide	4.0 / 4.5 / 5.0 / 5.5	AANLA4055	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Rescue Wide External Hex connection	6.5 / 7.0 / 7.5 / 8.0	IULA600	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MegaGen	AnyRidge Regular / Wide Multi Unit</td																													



PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System



Base Systems : ✓ : Available
MBS : Metal Base System □ : Call to add it
CBS : Cement Base System ✗ : Not Available

PANTHERA DENTAL PLATFORMS DATABASE

PLATFORM IDENTIFICATION				MILLING OPTIONS										3SHAPE / DENTALWINGS / EXOCAD										ANGULATED SCREW CHANNEL									
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	BAR / BRIDGE					Abutment Material					3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (SHORT/DONG)	RECOMMENDED TORQUE
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Bar-Bridge	Abut	Bar-Bridge	Abut						
Victory	Implant Monobloc / LargePost / External Hex	4,5	APL	✓	□	✓	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	5	20	34015 / 34019	15 Ncm		
	Tapered Screw-Vent System / AdVent Platform	4,5	AVR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm	
	Tapered Screw-Vent System	4,5	ACTR	✓	✓	✓	□	□	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Internal Implant System	3,5	IA2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Tapered Screw-Vent System	3,5	IA3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Tapered Screw-Vent System	4,5	IA4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Tapered Screw-Vent System	5,7	IA5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Estetic 3,1	3,1	CIANP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	SwissPLUS System	4,8	OPR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	BTO System	4,0	BTO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Integral 3,25 System	3,25	0431	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Not Available	4,0	0685	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	SwissPlus Implant System	3,8	SPMR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Integral 4,0 System MD	4,0	0837	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Integral SA System MD	4,0	45-000015	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Spectra-Cone Implant System	4,5	SCR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Spline Implant System / Shouldered Abutment	4,5	1657	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Spline Implant System	3,25	1830	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Spline Implant System	3,75	1831	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Spline Implant System	4,0	1831	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
	Spline Implant System	5,0	1832	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5	20	34015 / 34019	15 Ncm
STATISTICS				MILLING OPTIONS										3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			ANGULATED SCREW CHANNEL							
COMPATIBILITY				BAR	Zircon	Integrated Bar	Lock 'N' Release	Diamart	ABUTMENT Ti - CoCr - PMMA	ABUTMENT Zr - Pekton	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Bar-Bridge	Abut	Bar-Bridge	Abut						
Number of Compatibility				615,0	267	133	133	615	134	36	40	6	17	24	0	8	40	6	13	6,5%	1,0%	2,8%	6,5%	1,0%	2,1%	35	0	8	375	0	400	400	
% of Compatibility				100%	43%	22%	22%	100%	22%	6%	6,5%	1,0%	2,8%	3,9%	0,0%	1,3%	6,5%	1,0%	1,3%	5,7%	0,0%	1,2%	6,1%	0,0%	1,2%	61,0%	0,0%	65,0%	6				