PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✕ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL							
				BAR / BRIDGE					Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS										
				Material																										
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
3M	IMTEC / Endure CL	4.3	ESPE	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	IMTEC / Endure CL	5.1	ESPE	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
A.B. Dental Devices	Narrow platform	3.0	D3.3	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Standard platform	3.5	D3.3-7.5	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Angular Abutment / Straight Adaptor	4.5	D3-P14	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	One piece Angular Adaptor	4.5	D3-P24	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Straight abutment / Angular Adaptor Single Unit	4.9	D3-P64	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Abutment Direct	CR-Series	3.5	CR 50	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Multi Unit - CR / CS / CN / CH / CF Series	3,0 / 3,3 / 3,4 / 3,5 / 3,6 / 4,0 / 4,1 / 4,5 / 4,8 / 5,0 / 5,1 / 5,7 / 6,5	8504	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Ace	Self-Tapping / Cylinder implants / Standard Abutment	3,75 / 4,0	12-7050-01	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Not Available	4.0	12-7520-01	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Self-Tapping / Cylinder implants / Standard Abutment	5.5	12-7050-02	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34015 / 34019	15 N·cm
Adin	CloseFit - WP	4.3	WP0007	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	CloseFit - NP	3.0	NP0007	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	CloseFit - RP	3.5	RP0007	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Strandard Internal Hex	3.4	RS5737	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	MU Trans Mucosal Abutment (TMA)		RS5004	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34014 / 34018	15 N·cm
	CloseFit - UNP	2.75	UNP0007	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34014 / 34018	15 N·cm
AlfaGate	Internal Hex Implant / Multi-Unit	2.42	AGM-507	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Alpha Bio	Internal Hex Connection	3.3 / 3.7 / 3.75 / 4.2 / 4.65	IA (0.080)	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	TCT-N Abutment System for straight Abutment - Restoration up to 30°	3,2 / 3,75 / 4,2 / 5,0	BTT-N (5211)	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	TCT (opened) Connection Abutment system - Restoration up to 30°	3,2 / 3,75 / 4,2 / 5,0	BTT (8030)	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Anthogyr	OSSFIT System	4.8	OSA4003	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	AXIOM System	2.7	OPSC700	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	AXIOM System	2.7	OPAC700	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
Astratech (Dentsply)	Aqua 20 °UniAbutment TX	4.0	22069	✓	✓	□	□	✓	□	□	IO_3D-B	50.036 / 52.036	□	□	□	□	IO_3D-B	50.036 / 52.036	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Aqua 45 °UniAbutment TX	4.0	22070	✓	✓	□	□	✓	□	□	IO_3D-C	50.037 / 52.037	□	□	□	□	IO_3D-C	50.037 / 52.037	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Aqua Angled Abutment TX	4.0	24227	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Yellow TX	3.0	24077	✓	✓	✓	✓	✓	✓	□	3A-A / IO_3A-A	52.059	□	□	□	□	3A-A / IO_3A-A	52.059	□	Elos 3A-A	□	□	✕	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Aqua TX	4.0	24078	✓	✓	✓	✓	✓	✓	✓	3A-B / IO_3A-B	50.024 / 52.024	□	□	□	□	3A-B / IO_3A-B	50.024 / 52.024	□	Elos 3A-B	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Lilac TX	5.5	24079	✓	✓	✓	✓	✓	✓	□	3A-C / IO_3A-C	50.025 / 52.025	□	□	□	□	3A-C / IO_3A-C	50.025 / 52.025	□	Elos 3A-C	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Green EV	3.0	25543	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Green EV Uni Abutment	3.0	25615	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Purple EV	3.6	25544	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Purple EV Multibase	3.6	26201	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Purple Angled Abutment EV	4.2	25652	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Yellow EV	4.3	25545	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Blue EV	4.8	25546	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Brown EV	5.4	25547	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Yellow EV P4.2	4.2	25610	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	TX Profile	4.5 / 5.0	25047	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	5	20	34015 / 34019	15 N·cm
Argon	K3 Pro Rapid	3,0 / 3,5	LAK3Pro02	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	K3 Pro Rapid	4.0 / 4.5	LAK3Pro03	□	□	✓	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Avinent	Internal Connection HI	3,5 / 4,1	2025	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Internal Connection Direct to implat	3.5	3039	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Conical Connection Transepithelial	3,5 / 4,1	0322	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Bego	Mini Line	3.5	56082	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	MultiPlus S / RI-LINE	3,25 / 3,75 / 4,1 / 4,5	57524	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	S / RI-LINE	3,25 / 3,75	56695	✓	✓	✓	✓	✓	✓	✓	□	□	Bego (57060)	□	□	□	□	□	Bego (57060)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	S / RI-LINE	4.1	56696	✓	✓	✓	✓	✓	✓	✓	□	□	Bego (57060)	□	□	□	□	□	Bego (57060)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	S / RI-LINE	4.5	56698	✓	✓	✓	✓	✓	✓	□	□	□	Bego (57060)	□	□	□	□	□	Bego (57060)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	S / RI-LINE	5.5	56699	✓	✓	✓	✓	✓	✓	□	□	□	Bego (57060)	□	□	□	□	□	Bego (57060)	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Super System Transmucosal	3.75	53788	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Bicon	Integra-CP / Integra-TI 2.0 Well	2.0	260-100-006	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integra-CP / Integra-TI 2.5 Well	2.5	260-100-006	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integra-CP / Integra-TI 3.0 Well	3.0	260-100-006	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integra-CP 2,5 Well	2.5	260-100-288	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Fixed-Detachable Universal Abutment Transitional Implants (FUDA)	4.0	260-100-130	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34015 / 34019	15 N·cm
	Integra-CP 3,0 Well	3.0	260-100-388	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Biodenta	BL Tapered B2 (Bone Level)	4.1	TP-B12/AANLG	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	BL Tapered B1 Multi-Use (Bone Level)	4.5	TP-BM5/AANLG	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
BioHorizons	Tapered Internal / Internal	3.0	TP3IA	✓	✓	✓	✓	✓	✓	✓	IO_11A-A	□	BH (TP3PSA)	□	□	□	IO_11A-A	□	BH (TP3PSA)	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Multi-Unit	3.5	PXMUAR	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34014 / 34018	15 N·cm
	Multi-Unit	4.5	PXMUAR	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34014 / 34018	15 N·cm
	Multi-Unit	5.7	PXMUAR	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34014 / 34018	15 N·cm
	External Abutment for Screw	3.0	PXABA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	External Abutment for Screw	3.5	PXABA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	External Abutment for Screw	4.5	PXABA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	External Abutment for Screw	5.7	PXABA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Tapered Internal / Internal Custom Castable Abutment	3.5	PYIA	✓	✓	✓	✓	✓	✓	✓	IO_11A-B	52.087	BH (PYPSA)	□	□	□	IO_11A-B	52.087	BH (PYPSA)	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Tapered Internal / Internal Custom Castable Abutment	4.5	PQIA	✓	✓	✓	✓	✓	✓	✓	IO_11A-C	52.088	BH (PQPSA)	□	□	□	IO_11A-C	52.088	BH (PQPSA)	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Tapered Internal / Internal Custom Castable Abutment	5.7	PBIA	✓	✓	✓	✓	✓	✓	□	IO_11A-D	52.089	BH (PBPSA)	□	□	□	IO_11A-D	52.089	BH (PBPSA)	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	SINGLE-ST AGE Custom Castable Abutment	3.5	SYIA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SINGLE-ST AGE Custom Castable Abutment	4.5	SQIA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	External implant system	3.5	293-000	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	External implant system	4.0	294-000	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	External implant system	5.0	295-000	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	External implant system	6.0	296-000	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	BioHorizons External	5.0	255-600	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Biolok	Silhouette Hex Laser-Lok Implants	4,0	I2605	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Biomet 3i	Conical Connection	3.8	MMCLA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Conical Connection	4.1	CLA30	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Conical Connection	5.0	CLA20	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex Connection	3.4	MMLA	✓	✓	✓	✓	✓	✓	□	7A-A / IO_7A-A	50.011 / 52.011	□	□	□	□	7A-A / IO_7A-A	50.011 / 52.011	□	Elos (7A-A)	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex Connection	4.1	ILA20	✓	✓	✓	✓	✓	✓	□	7A-B / IO_7A-B	50.012 / 52.012	□	□	□	□	7A-B / IO_7A-B	50.012 / 52.012	□	Elos (7A-B)	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	External Hex Connection	5.0	ILAW5	✓	✓	✓	✓	✓	✓	✓	7A-B / IO_7A-B	50.013 / 52.013	□	□	□	□	7A-B / IO_7A-B	50.013 / 52.013	□	Elos (7A-B)	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex Connection	6.0	ILAW6	✓	✓	✓	✓	✓	✓	□	7A-B / IO_7A-B	□	□	□	□	□	7A-B / IO_7A-B	□	□	Elos (7A-B)	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	OvrerdentSURE / Internal Connection	4.1	SLA20	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	OvrerdentSURE / Internal Connection	5.0	SLA20	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	UCLA / Internal Connection	3.4	IMMLA	✓	✓	✓	✓	✓	✓	✓	7B-A / IO_7B-A	50.014 / 52.014	□	□	□	□	7B-A / IO_7B-A	50.014 / 52.014	□	Elos (7B-A)	□	□	✓	✓	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	UCLA / Internal Connection	4.1	ILA20	✓	✓	✓	✓	✓	✓	✓	7B-B / IO_7B-B	50.015 / 52.015	□	□	□	□	7B-B / IO_7B-B	50.015 / 52.015	□	Elos (7B-B)	□	□	✓	✓	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	UCLA / Internal Connection	5.0	ILAW5	✓	✓	✓	✓	✓	✓	□	7B-B / IO_7B-B	50.016 / 52.016	□	□	□	□	7B-B / IO_7B-B	50.016 / 52.016	□	Elos (7B-B)	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	UCLA / Internal Connection	6.0	ILAW6	✓	✓	✓	✓	✓	✓	□	7B-B / IO_7B-B	□	□	□	□	□	7B-B / IO_7B-B	□	□	Elos (7B-B)	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Certain Internal connection Low profile	4.8	LPCLA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Certain Internal connection Immediate Occlusal Loading (IOL)	4.1	IOLLAS	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
BioTech	Conical Abutments	4.9	EAAP	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Sinlika / Sinlika Conic	4.1	ESI04	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Multi Unit B.LS Conic	3,0 / 3,4 / 3,6	E008	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Multi Unit B.LS	3,9 / 4,4	E008	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Cera-Post Abutment	4.5	KDI	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✕ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL							
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	BAR / BRIDGE Material					Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
BlueSkyBio	Trilobe Conical	3.5	BITT35	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	30 N·cm
	Trilobe Conical	4.3	BITT43	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	30 N·cm
	Trilobe Conical	5.0	BITT50	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	30 N·cm
	Max NP	3,0 / 3,5 / 4,3 / 5,0 / 6,0 / 7,0	BUH	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Conus 12 Regular Platform	3,5 / 4,0	BOH35	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	30 N·cm
	One Stage Narrow Platform	4.1	BON41	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	30 N·cm
	One stage Regular Platform	4.8	BOR48	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	30 N·cm
	One stage Wide Platform	6.5	BOW65	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	3	25	34017 / 34021	30 N·cm
	Trilobe Multi-Unit	3.5 / 4.5	BMU	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	30 N·cm
Bredent	SKY prosthetics	4.0	SKY i4A0	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	20	34017 / 34021	□
BTI	Interna	4.1	INRL4U	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	20 N·cm
	Interna Multi-IM Trans-epithelial	5.5	RLM6A	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	20 N·cm
	Interna Multi-IM Trans-epithelial	3.5	RLM6EU	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	20 N·cm
	Indirect Restoration with UNIT Trans-epithelial	3.5	RLMUPE	□	□	✓	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	✓	5	20	34016 / 34020	20 N·cm
Calcitek	Integral 4.0	4.0	Integral 4.0	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
Camlog	Camlog Screw-Line / Promote / Promote plus / Root-Line / Root-Line 2	3.3	J3010.3300 / K3010.3300	✓	✓	✓	✓	✓	✓	✓	9A-A / IO_9A-A	50.064 / 52.064	□	□	□	□	9A-A / IO_9A-A	50.064 / 52.064	□	□	□	□	✓	✕	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Camlog Screw-Line / Promote / Promote plus / Root-Line / Root-Line 2	3.8	J3010.3800 / K3010.3800	✓	✓	✓	✓	✓	✓	✓	9A-B / IO_9A-B	50.065 / 52.064	□	□	□	□	9A-B / IO_9A-B	50.065 / 52.064	□	□	□	□	✓	✕	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Camlog Screw-Line / Promote / Promote plus / Root-Line / Root-Line 2	4.3	J3010.4300 / K3010.4300	✓	✓	✓	✓	✓	✓	✓	9A-C / IO_9A-C	50.066 / 52.066	□	□	□	□	9A-C / IO_9A-C	50.066 / 52.066	□	□	□	□	✓	✕	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Camlog Screw-Line / Promote / Promote plus / Root-Line / Root-Line 2	5.0	J3010.5000 / K3010.5000	✓	✓	✓	✓	✓	✓	□	9A-D / IO_9A-D	50.067 / 52.067	□	□	□	□	9A-D / IO_9A-D	50.067 / 52.067	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Camlog Screw-Line / Promote / Promote plus / Root-Line / Root-Line 2	6.0	J3010.6000 / K3010.6000	✓	✓	✓	✓	✓	✓	□	9A-D / IO_9A-D	□	□	□	□	□	9A-D / IO_9A-D	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Cornfour / Camlog Bar Abutment	3,3 / 3,8 / 4,3	J3020.4300	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Cornfour / Camlog Bar Abutment	5.0	J3020.6000	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Variо SR bases for bar	3,8 / 4,3	J2567.4300	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Variо SR bases for bar	5,0 / 6,0	J2567.6000	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Conelog Screw-Line / Promote Plus	3.3	C3010.3300	✓	✓	✓	✓	✓	✓	✓	□	52.074	□	□	□	□	□	52.074	□	□	□	□	✓	✓	✓	✓	□	5	5	34015 / 34019	20 N·cm
	Conelog Screw-Line / Promote Plus	3.8	C3010.3800	✓	✓	✓	✓	✓	✓	✓	□	52.075	□	□	□	□	□	52.075	□	□	□	□	✓	✓	✓	✓	□	5	5	34015 / 34019	20 N·cm
	Conelog Screw-Line / Promote Plus	4.3	C3010.4300	✓	✓	✓	✓	✓	✓	□	□	52.075	□	□	□	□	□	52.075	□	□	□	□	✓	✓	✓	✓	□	5	5	34015 / 34019	20 N·cm
	Conelog Screw-Line / Promote Plus	5.0	C3010.5000	✓	✓	✓	✓	✓	✓	□	□	52.076	□	□	□	□	□	52.076	□	□	□	□	□	✓	✓	✓	□	5	5	34015 / 34019	15 N·cm
Cochlear	Old serie / Generation 2 Implant system with hexagonal connection	4.0	90374	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
			93100		□	✓	✓		✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Vistafix VXA200	3.5	93185	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Vistafix VXA200	4.5	93185	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
DentalTech	Multi-Unit Abutment	3.25 / 3.75 / 4.25 / 4.75	ABT3200	✓	□	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Dentin Implant	Multi-Unit	2.43	AMU-1200	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Prosthetic system	3.75	SPS 75	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Dentaurum	Tiologic Medium	3.7	385-230-00	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Tiologic Medium	4.2	385-230-00	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Tiologic Large	4.8	385-330-00	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	30 N·cm
	Tiologic Large	5.5	385-330-00	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	30 N·cm
Dentis	S-Clean tapered / Tapered II / Save	3.4	DSCLA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	S-Clean / Multi-unit Abutment System	3,7 / 4,1 / 4,3 / 4,8	DMLA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Dentium	SuperLine / Prosthetic Procedure 2	3.6	DAN38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 2	4.0	DAN38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 2	4.5	DAN38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 2	5.0	DAN38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 3	3.6	SAN 45 L	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 3	4.0	SAN 45 L	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 3	4.5	SAN 45 L	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SuperLine / Prosthetic Procedure 3	5.0	SAN 45 L	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Dentsply	ANKYLOS Balance C/X	3.5	A(3104 7011)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C/X	4.5	A(3104 7011)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C/X	5.5	A(3104 7011)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C/X	7.0	A(3104 7011)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment	3.5	C(3104 5338)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment	4.5	C(3104 5338)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment	5.5	C(3104 5338)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment	7.0	C(3104 5338)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment Narrow	3.5	C(3104 5332)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment Narrow	4.5	C(3104 5332)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment Narrow	5.5	C(3104 5332)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ANKYLOS Balance C / Balance Base Abutment Narrow	7.0	C(3104 5332)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	XiVE FRIADENT	3.0	D3.0 (45-4020)	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT	3.4	D3.4 (45-4030)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT	3.8	D3.8 (45-4040)	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT	4.5	D4.5 (45-4050)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT	5.5	D5.5 (45-4060)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT MP / Multi-Purpose	3.4	MP D3.4 (46-4030)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT MP / Multi-Purpose	3.8	MP D3.8 (46-4040)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT MP / Multi-Purpose	4.5	MP D4.5 (46-4050)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE FRIADENT MP / Multi-Purpose	5.5	MP D5.5 (46-4060)	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	XiVE TG AuroBase Abutment	3.4	D3.4 (25-4010)	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Dio Implant	UF II Conical Regular/Wide Platform	2.5	RCN 40412	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	UF(II) Regular / Wide Platform	2.5	SSF4.4012	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	UFII INT. SUBMERGED SYSTEM	4.8	MLA 4815H	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	SM System Narrow Platform	3,8 / 4,1	SAF 3812	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SM System Regular / Wide Platform	4,5 / 5,0 / 5,3	SAF 4512	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	UF(II) Narrow-Submerged	3.0	UNSFA	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	□	□	□	□	□	□	□
Ditron Dental	ULT Matrix / MPI Matrix	3.3 / 3.5 / 3.75 / 4.2 / 5.0 / 6.0	AN-2010	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	□	□	□	□
	Multi-Unit Abutment / Screw Retained Abutment	4.7	MUP-9137	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	□	□	□	□
Emfils	INTERNAL HEXAGON	3.3	CPPLE-3315	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	INTERNAL HEXAGON	4.0	CPPLE-4015	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
Euroteknika	Naturactis / Naturall+ / Natea+ Plural Angulated NP	4.6	NPV HPA 38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Naturactis / Naturall+ / Natea+ Plural Angulated RP	5.1	NPV HPA 38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Naturactis / Naturall+ / Natea+ Plural Angulated WP	5.8	NPV HPA 38	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Naturactis / Naturall+ / Natea+ Plural straight Abutment NP	4.6	NPV HP 4X	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Naturactis / Naturall+ / Natea+ Plural straight Abutment RP	5.1	NPV HP 4X	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Naturactis / Naturall+ / Natea+ Plural straight Abutment WP	5.8	NPV HP 4X	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	ConnHex Abutment	3.6	NPV HC 36	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Naturactis / Naturall+ / Narrow implant	3.0	NLA H30	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Naturactis / Naturall+ / Narrow implant	3.5	NLA H35	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Aesthetica+2 NP	4.2	ALA H42	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Aesthetica+2 RP	4.8	ALA H48	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
GC Tech	Aadva / Standard / Tapered / Abutment Regular Platform	4.0	3481SR	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	20 N·cm
	Aadva / Standard / Tapered / Abutment Narrow Platform	3.3	4094SR	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	20 N·cm
Generic Implant	Like BIS / Compatible Bresumark System	3,75 / 4,0	BIS-AHA-RP	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✗ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL								
				BAR / BRIDGE					Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS											
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	Material																			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
Global D	Serf / EVL® Abutment Multi Angulated Standard (MUAST)	3.3	DDIEMUAST	✓	✓	□	□	✓	□	□	□	□	GD (DTNMUAST)	□	□	□	□	□	GD (DTNMUAST)	□	□	□	✗	✗	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / EVL® Abutment Multi Angulated Standard (MUAST)	4.0	DDIEMUAST	✓	✓	□	□	✓	□	□	□	□	GD (DTNMUAST)	□	□	□	□	□	GD (DTNMUAST)	□	□	□	✗	✗	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / EVL® Abutment Multi Angulated Standard (MUAST)	5.0	DIEMUA WD	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / Multi E	3.3	DMULTIDIE3.3N	✓	✓	□	□	✓	□	□	□	□	GD (DTNMUNR)	□	□	□	□	□	GD (DTNMUNR)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / Multi E	4.0	DMULTIDIE4N	✓	✓	□	□	✓	□	□	□	□	GD (DTNMUST)	□	□	□	□	□	GD (DTNMUST)	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Serf / Multi E	5.0	DMULTIDIE5N	✓	✓	□	□	✓	□	□	□	□	GD (DTNMUW5)	□	□	□	□	□	GD (DTNMUW5)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / EVL C	3.3	DDIEVL3.3	✓	✓	✓	✓	✓	✓	□	□	□	GD (DTNVEVL3.3)	□	□	□	□	□	GD (DTNVEVL3.3)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / EVL C	4.0	DDIEVL4SA	✓	✓	✓	✓	✓	✓	□	□	□	GD (DTNVEVL4)	□	□	□	□	□	GD (DTNVEVL4)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / EVL C	5.0	DDIEVL5SA	✓	✓	✓	✓	✓	✓	□	□	□	GD (DTNVEVL5)	□	□	□	□	□	GD (DTNVEVL5)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / Clinic	3.4	DIECL E 3.4	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / Clinic	4.0	DIECL E 4	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Serf / Clinic	4.8	DIECL E 4	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Quattro	5.5	DAAOFP	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / In Kone Universal / Angled Conical Abutment (PACF)	4.7	DAAOFN	✓	✓	□	□	✓	□	□	□	□	GD (DTNPACF)	□	□	□	□	□	GD (DTNPACF)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Tapered Green	3.4	DAIP3.4	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Tapered Yellow	4.0	DAIP4	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Tapered Purple	4.5	DAIP4.5	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Tapered Blue	5.0	DAIP5	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Tapered Gray	6.0	DAIP6	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Green	3.4	DAIP34	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Orange	3.6	DACIR36	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Yellow	4.0	DAIP4	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Purple	4.5	DAIP45	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Blue	5.0	DAIP5	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / Hexacolor Gray	6.0	DAIP6	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / In Kone® Universal / Straight Conical Abutment (PC4.3)	4.3	DAIRK4.3N	✓	✓	□	□	✓	□	□	□	□	GD (DTNPC4.3)	□	□	□	□	□	GD (DTNPC4.3)	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Tekka / In Kone Universal	3.5	DACI	✓	✓	✓	✓	✓	✓	✓	□	□	GD (DTNVINK)	□	□	□	□	□	GD (DTNVINK)	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Tekka / In Kone Universal	4.0	DACI	✓	✓	✓	✓	✓	✓	✓	□	□	GD (DTNVINK)	□	□	□	□	□	GD (DTNVINK)	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Tekka / In Kone Universal	4.5	DACI	✓	✓	✓	✓	✓	✓	✓	□	□	GD (DTNVINK)	□	□	□	□	□	GD (DTNVINK)	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Tekka / In Kone Universal	5.5	DACI	✓	✓	✓	✓	✓	✓	✓	□	□	GD (DTNVINK)	□	□	□	□	□	GD (DTNVINK)	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Serf / CIKY	3.5	DASD3.5	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Implant 3.0 / Anti-Lock Concept	3.0	DAT.I	□	□	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Twinkon 4	5.4	DAICE	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Twinkon	3.5	DAT.WK	□	□	✓	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Twinkon	4.0	DAT.WK	□	□	✓	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Twinkon	4.5	DAT.WK	□	□	✓	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	EVL C 4 COMPACT, no rotation	4.0	DDIEEVLC4H	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	□	□	□	5	20	34016 / 34020	15 N·cm
Hahn	Tapered Implant	3.5 / 4.3	70-1353-PRC0017	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	30 N·cm
	Tapered Implant	5.0	70-1353-PRC0019	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	30 N·cm
Hiossen	ET® SA Esthetic / Multi-Unit Abutment Platform	4.8	MERR300	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	□	✓	✓	✗	5	20	34016 / 34020	15 N·cm
	ET® SA Esthetic / Multi-Unit Abutment Platform	4.5	MERR300	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	□	✓	✓	✗	5	20	34016 / 34020	15 N·cm
	ET® SA Esthetic / Multi-Unit Abutment Platform	5.0	MERR300	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	□	✓	✓	✗	5	20	34016 / 34020	15 N·cm
	ET® ET System Mini	3.5	HGFLAM	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	ET® ET System Regular	4.0	HGFLAS	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	ET® ET System Regular	4.5	HGFLAS	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	ET® ET System Regular	5.0	HGFLAS	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	TS & GS System / Mini & Regular	4.0	GSCLA480	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	ET® SA Convertible Regular	4.5	GSCLA480	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	ET® SA Convertible Regular	5.0	GSCLA480	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	ET® SA Convertible Regular	6.0	GSCLA480	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	ET® SA Convertible Regular	7.0	GSCLA600	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	SS System Regular	4.8	SSLA480	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Hi - Tec Implants	Self Thread / Universal Unit	3,5 / 4,5 / 5,0	MU-CL	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Logic / LGI Universal Unit	3,7 / 3,9 / 4,1	MU-CL	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Vision / VSI Universal Unit	3,5 / 4,3 / 5,0	MU-CL	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Logic / Implex / Expert Implants	3.5	NL-IL	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Self thread / Logic plus	3,3 / 3,5	IL	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Self thread	4.5	W-IL	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Vision	4.3	RV-IL	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	TRX-TP™ & TRX-BA™	2.4	TP-IL	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
IBS implants	Magic FC mini	4.0	HIALM	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Magic FC	4.5	HIALA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Multi-Unit Abutment	4.8	MAA48R	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
IDI	ID Bio Emergence / Multi-Unit	3.5	333	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗
	ID Bio Emergence	4.0	2340A	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	□	□	□	□	□	□	□
Implanet	Multi-Unit Abutment	3.3 / 3.8 / 5.0	MU-AN	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34016 / 34020	15 N·cm
Implant - Direct	Legacy System	3.0	8530-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Legacy System	3.5	8035-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Legacy System	4.5	8045-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Legacy System	5.7	8057-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spectra System	3.7	1037-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spectra System	4.7	1047-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spectra System Overdenture	5.0	1000-61	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Spectra System	5.7	1057-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	TriLobe / RePlant / ReActive / simplyRePlant	3.5	6035-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	30 N·cm
	TriLobe / RePlant / ReActive / simplyRePlant	4.3	6043-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	30 N·cm
	TriLobe / RePlant / ReActive / simplyRePlant	5.0	6050-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	30 N·cm
	TriLobe / RePlant / ReActive / simplyRePlant	6.0	6060-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	30 N·cm
	Hexcone Abutment	4.7	43-200015	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	SwishActive	3.0	6530-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	30 N·cm
	SwishActive	3.4	6534-06	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	30 N·cm
	SwishPlus	4.8	9048-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	30 N·cm
	ScrewInDirect: One-Piece Implant	5.0	4000-06	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Implant Logistic	Implant one / IT 100 Series / Green	3,25 / 3,5 / 3,75	IT 190	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Implant one / IT 200 Series / Yellow	4,0 / 4,25 / 4,5 / 5,0 / 5,5	IT 290	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Implant one / IT 300 Series / Blue	3,5 / 4,1 / 4,5	IT 390	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Implant One Multi-Unit Abutment	3.0 / 4.0 / 5.0	ALG-0345-00	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34015 / 34019	15 N·cm
IMZ	IMZ Hex	3.3	11-000015	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	IMZ Hex	4.0	11-000015	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	IMZ NonoHex / UMA Abutment	3.3	56-000015	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	IMZ NonoHex / UMA Abutment	4.0	56-000015	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Intra - Lock	GOLD&BLUE Standard / GOLD&BLUE Wide / Conic Straight	3,4 / 3,75 / 4,0 / 4,75	CAA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	GOLD&BLUE Standard / GOLD&BLUE Wide /Conic 17°	3,4 / 3,75 / 4,0 / 4,75	CAA17	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	GOLD&BLUE Standard Two-piece system	3,4 / 3,75 / 4,0	SLA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	INTRALOCK™ INTERNAL CONNECTION - Standard Platform	4.0 / 4.3	IIA	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Unihex	3,4 / 3,75 / 4,0 / 4,75	HLA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	INTRALOCK™ INTERNAL CONNECTION - SQ Platform	3,3 / 3,75	ISLA	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34015 / 34019	15 N·cm
	GOLD&BLUE Standard / GOLD&BLUE Wide / FlatOne	3,4 / 3,75 / 4,0 / 4,75	IFAA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
KatImplants	KAT System Implant Level Abutments	3.5	005001	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗
Klockner	Vega NV 3.5	3.5	18 09 04	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✕ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL								
				BAR / BRIDGE					Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS											
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	Material																				Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
Keystone Dental	PrimaConnex SD Multi-Unit	3.5	45160K	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	PrimaConnex RD Multi-Unit	4.1	45160K	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	PrimaConnex WD Multi-Unit	5.0	45167K	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Internal T.Lobe / Tibobmaxx / Multi Unit	7.0 / 8.0 / 9.0	45329K	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Internal T.Lobe / Tibobmaxx UCLA abutement	7.0	45801K	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Internal T.Lobe / Tibobmaxx UCLA abutement	8.0	45804K	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	PrimaConnex Internal Connection SD	3.5	45149K	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	PrimaConnex Internal Connection RD	4.1	45141K	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	PrimaConnex Internal Connection WD	5.0	45142K	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Renova SD// RDI	3,75 / 4,5 / 4,75	41053S-4K	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Restore SD / RD / Conical Abutment	3.8	R9845-40K	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Restore WD / Conical Abutment	5.0	R9845-55K	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Genesis Internal TiLobe	3,5 / 3,8	G71107	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Genesis Internal TiLobe	4,5	G71109	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	□	□	34016 / 34020	15 N·cm
	Restore SD System	3.3	R9893-34K	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Restore RD System	3,75 / 4,0	R9891-40K	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34016 / 34020	15 N·cm
	Restore WD System	5,0 / 6,0	R9893-50K	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Stage L Implant system RDS	3,3 / 4,1 / 4,8	S2404K	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Medical	Multi Unit Branemark RP	4.0	AMU40	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
MegaGen	AnyRidge Regular / Wide	4,0 / 4,5 / 5,0 / 5,5	AANLAF40S5	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Rescue Wide External Hex connection	6,5 / 7,0 / 7,5 / 8,0	RUL-A600	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Anyridge Regular / Wide Multi Unit	4,0 / 4,5 / 5,0 / 5,5	MUALA	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	EZ Plus Small	3.3	EIL-A330	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	EZ Plus Regular & Wide	4,0 / 4,5 / 5,0	EIL-A400	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	AnyOne & AnyRidge Internal Multi-Unit	4.8	RELA300	✕	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	AnyOne Internal & AnyRidge Non-Octa NC	4.0	AANOL-A4000	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	AnyOne Internal & AnyRidge Non-Octa RC	5.0	IOA300	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	AnyOne Internal Fixture Level Prosthesis	4.5	LA-409H	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Rescue Internal	6.0	ARL-A600	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	AnyOne Internal Fixture Level Prosthesis	3.5	LA-350H	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	MINI	3.0	MIL-A300H	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
	AnyRidge Octa 1 - NC	3.3 / 3.7	ARO-LA4	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	□	□	□	5	20	34016 / 34020	15 N·cm
Medendika	MedentiBase		4020	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34017 / 34021	15 N·cm
Microdent	Multi-Unit Abutment		8504 / 0-31-10	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34017 / 34021	15 N·cm
	External Connection UNIVERSAL	3.5	MSIR05	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	□	□	□	5	20	34017 / 34021	15 N·cm
	External Connection UNIVERSAL	4.1	SURI41	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	□	□	□	5	20	34017 / 34021	15 N·cm
Mis	Lance / Internal Hexagon / Multi-Unit	3,3 / 3,75 / 4,20 / 5,0 / 6,0	MU-RSM4B	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	M4 Standard / Multi-Unit	3.3	MA-RSM10	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Seven / M4 / Standard / Wide / Multi-Unit	3,75 / 4,20 / 5,0 / 6,0	MA-RSM10	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Seven Narrow	3.3	MN-RSM10	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	M4 Standard	3.3	MD-RSM10	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Seven / M4 Standard	3,75 / 4,2	MD-RSM10	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Seven / M4 Wide	5,0 / 6,0	MW-RSM10	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	CL / V3 Narrow	2.75	CN-RSM10	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	CS/V3 Standard	3.15	CS-RSM10	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	V3 Wide	3.15	CS-RSM10	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	C1 Wide	4.0	CW-RSM10	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
NeoBiotech	IS Implant System	5.0	ISLA500	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	IS Implant System / Multi Unit Abutment	4.8	MUALA48	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
Neodent	HEZygomatic Transepithelial	4.8	101.018	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Grand Morse Implant line	3,5 / 4,0 / 4,3	101.074	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	CMWS Implant Line / CM Mini Conical / WS Mini Conical / Multi-unit	3,5 / 3,75 / 4,0 / 4,3 / 5,0	101.020	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	WS Implant Line / WS Mini Conical / Multi Unit	6.0	101.020	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	CM Implant line Micro Conical	3,5 / 3,75 / 4,0 / 4,3 / 5,0	101.057	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
	CM Implant Line / CM Anatomic Abutment	3,5 / 3,75 / 4,0 / 4,3 / 5,0	101.058	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	CM Implant Line / CM Abutment	3,5 / 3,75 / 4,0 / 4,3 / 5,0	101.037	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
	GM Micro Conical Abutment	3.5	101.078	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
Neoss	ProActive Narrow platform	3.25	31304	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Access Abutment Multi	3,5 / 4,0 / 4,5 / 5,0 / 5,5	31231	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	ProActive/Tapered	3,5 / 4,0 / 4,5 / 5,0 / 5,5	31146	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
NobelBiocare	Branemark Narrow Platform	3.3	31158	✓	✓	✓	✓	✓	✓	□	6A-A / IO_6A-A	50.001 / 52.001	□	6A-A / IO_6A-A	50.001 / 52.001	□	6A-A / IO_6A-A	50.001 / 52.001	□	Elos (6A-A)	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	Branemark Regular Platform	4.0	31159	✓	✓	✓	✓	✓	✓	✓	6A-B / IO_6A-B	50.002 / 52.002	□	6A-B / IO_6A-B	50.002 / 52.002	□	6A-B / IO_6A-B	50.002 / 52.002	□	Elos (6A-B)	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	Branemark Regular Platform Zygoma	4.0	31159	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	5	17	34014 / 34018	15 N·cm
	Branemark Wide Platform	5.0	31160	✓	✓	✓	✓	✓	✓	✓	6A-C / IO_6A-C	50.003 / 52.003	□	6A-C / IO_6A-C	50.003 / 52.003	□	6A-C / IO_6A-C	50.003 / 52.003	□	Elos (6A-C)	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Multi-Unit Regular Platform	4.8	31161	✓	✓	□	□	✓	✓	□	2C-A / IO_2C-A	50.007 / 52.007	□	2C-A / IO_2C-A	50.007 / 52.007	□	2C-A / IO_2C-A	50.007 / 52.007	□	Elos (2C-A)	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	Multi-Unit Wide Platform	6.0	31162	✓	✓	□	□	✓	□	□	2C-B / IO_2C-B	50.047 / 52.047	□	2C-B / IO_2C-B	50.047 / 52.047	□	2C-B / IO_2C-B	50.047 / 52.047	□	Elos (2C-B)	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Multti Unit Regular Platform Plus	4.8	38918	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	Replace Narrow Platform	3.5	29498	✓	✓	✓	✓	✓	✓	✓	2A-A / IO_2A-A	50.004 / 52.004	□	2A-A / IO_2A-A	50.004 / 52.004	□	2A-A / IO_2A-A	50.004 / 52.004	□	Elos (2A-A)	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Replace Regular Platform	4.0	29500	✓	✓	✓	✓	✓	✓	✓	2A-B / IO_2A-B	50.005 / 52.005	□	2A-B / IO_2A-B	50.005 / 52.005	□	2A-B / IO_2A-B	50.005 / 52.005	□	Elos (2A-B)	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Replace Wide Platform	5.0	29502	✓	✓	✓	✓	✓	✓	✓	2A-C / IO_2A-C	50.006 / 52.005	□	2A-C / IO_2A-C	50.006 / 52.005	□	2A-C / IO_2A-C	50.006 / 52.005	□	Elos (2A-C)	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	ReplaceSelect 6.0	6.0	29895	✓	✓	✓	✓	✓	✓	□	2A-D / IO_2A-D	50.097 / 52.097	□	2A-D / IO_2A-D	50.097 / 52.097	□	2A-D / IO_2A-D	50.097 / 52.097	□	Elos (2A-D)	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	15 N·cm
	NobelActive 3.0	3.0	36791	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	NobelActive Narrow Platform	3.5	36697	✓	✓	✓	✓	✓	✓	✓	2B-A / IO_2B-A	50.041 / 52.041	□	2B-A / IO_2B-A	50.041 / 52.041	□	2B-A / IO_2B-A	50.041 / 52.041	□	Elos (2B-A)	□	□	✓	✓	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	NobelActive Regular Platform	4.3	36698	✓	✓	✓	✓	✓	✓	✓	2B-B / IO_2B-B	50.042 / 52.042	□	2B-B / IO_2B-B	50.042 / 52.042	□	2B-B / IO_2B-B	50.042 / 52.042	□	Elos (2B-B)	□	□	✓	□	✓	✓	✓	5	17	34014 / 34018	15 N·cm
	NobelActive Wide Platform	5.0	37679	✓	✓	✓	✓	✓	✓	✓	2B-C / IO_2B-C	50.069 / 52.069	□	2B-C / IO_2B-C	50.069 / 52.069	□	2B-C / IO_2B-C	50.069 / 52.069	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Old platform	4.5	DCB175 - 0	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Old platform	4.8	DCB176 - 0	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Onl. Concept NP	4.3	38731	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Onl. Concept RP	4.3	38732	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	15 N·cm
	Onl. Concept WP	4.3	38733	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	15 N·cm
	PME / Multi-Unit System	4.5	31705	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	15 N·cm
Normandent	ALFA OCTA	4,1 / 4,8	PR00115	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	10 N·cm
Oco Biomedical	Engage Implants System	3.25	32520A	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Engage Implants System	4.0	40335A	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Engage Implants System	5.0	50454	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Engage Implants System	6.0	60574	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	TSIII®/Macro Implants System	4.0	TSIA 4.0	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	TSIII®/Macro Implants System	5.0	TSIA 5.0	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	TSIII®/ Implant	4.0	TSIA 4.0 HEX	□	□	✓	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Osstem	SS System	4.8	SSFA480	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	SS System	6.0	SSFA600	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
OsseoDent	OmniHex Multi Unit	3,2 / 3,7 / 4,2 / 4,7 / 5,2 / 5,7	OSD-MTU-ALOG	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Osteoready	Osteoready Multi Implants System	5.0	AMU-1200	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Prestige Implants System	3.75	OAN-0010	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
Otmedical	OT-F® Implants System	4.1	02-6410001000	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	OT-F® Implants System	4.9	01-6490001000	✓	□	□	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Paltop	Advanced Family Implants / Standard Platform	3,75 / 4,2 / 5,0	56-70002	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Internal Hex Multi Unit Narrow/Standard Platform	3,25 / 3,75 / 4,2 / 5,0	56-72001	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Internal Hex Narrow Platform	3.25	56-70015	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34015 / 34019	15 N·cm
PerioSeal	Cone-Top	3,5 / 4,0 / 5,0	PSC032	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
ProWital (ForestaDent Implants)	ProWital Plus Implants System 3.5	3.5	1.310.3500	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✗ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL								
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	BAR / BRIDGE Material					Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
Ritter Implants	Multi-Unit Abutment	4.8	MU-K/SAN	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34014 / 34018	15 N·cm
	Standard Line Internal Hex	3.75 / 4.2 / 5.0 / 6.0	IA-3.75	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34014 / 34018	15 N·cm
	Narrow Line Internal Hex	3.0 / 3.3	NL-IA-3.0	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34014 / 34018	15 N·cm
Sargon	External implant system - Ext. Hex.	2.75	73955-1	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✕ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS						3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL							
				BAR / BRIDGE					Abutment Material	3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS										
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	Material																		Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
				Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
Shinhung	Luna NP	3.5	SFAN35 / IHFLAM120	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Luna RP	4.0 / 4.5 / 5.0 / 6.0	SFAR40 / IHFLAR120	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34016 / 34020	15 N·cm
Simpler Implant	17000 Series Implants / Crown Post Abutments	3.25	S10001	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	17000 Series Implants / Crown Post Abutments	4.0	S10002	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
			A10002	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	20000 Series Implants / Plastic Laboratory Components	3.25	AS10004	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	20000 Series Implants / Plastic Laboratory Components	4.0	AS10004	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Simpli Implant	SIMPLI / MAxMini	4.5	S2S_10001	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Southern Implants	External Hex (6IN)	3.25	LSN12	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (6IS)	3.75	LS12	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BT/BT12d)	4.0	LS12	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BA/BAT/BAT12d/BAT24d)	5.0	LSA12	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BA/BAT/MSc-BAT12d/BAT12d) / Compact Conical Abutment	5.0	LSMCW1	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BBB/SBBBT/BBBT12d/BBBT24d) / Compact Conical Abutment	6.0	LSMCW1	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (MAX-7/MSc-MAX-7) / Compact Conical Abutment	7.0	LSMCW1	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (MAX-8/MSc-MAX-8) / Compact Conical Abutment	8.0	LSMCW1	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (6IN) / Angled Compact Conical Abutment	3.25	LSMC1	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (6IS) / Angled Compact Conical Abutment	3.75	LSMC1	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BT/BT12d) / Angled Compact Conical Abutment	4.0	LSMC1	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BA/BAT) / Angled Compact Conical Abutment	5.0	LSMC1	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (MAX-7) / Angled Compact Conical Abutment	7.0	LSMC1	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (MAX-8)	8.0	LMAX8	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	External Hex (BBB/SBBBT/BBBT12d/BBBT24d)	6.0	LBBB512	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Internal T-i-Nex	3.5	LA-I-35	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	5	✕	✕	✕
	Internal T-i-Nex	4.3	LA-I-43	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	32 N·cm
	Internal T-i-Nex	5.0	LA-I-50	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	32 N·cm
	Internal T-i-Nex	6.0	LA-I-60	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	32 N·cm
	Internal Octagon (IT.TMAX-IT.IT.ST12d/ITC)	4.8	LIT64	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	32 N·cm
SpiralTech	Conical NP	3.8	ECANP	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34015 / 34019	30 N·cm
Steri - Oss	NobelBiocare replace parts for Steri-Oss	3.8	2687	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	NobelBiocare replace parts for Steri-Oss	4.5	2687	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Titan Implant Replace parts for Steri-Oss	3.5	538-40PMEAA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Titan Implant Replace parts for Steri-Oss	4.5	538-40PMEAA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	NobelBiocare replace parts for Steri-Oss	3.25	35706	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	NobelBiocare replace parts for Steri-Oss	4.3	43714	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	NobelBiocare replace parts for Steri-Oss	5.0	5052	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
SternGold	External Hex / Regular Platform	4.1	904233	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
	Hex Screw Implants / Abutment	3,75 / 4,5 / 5,0	904112	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34016 / 34020	15 N·cm
Straumann	Standard Plus / Tapered Effect Implants / Regular Neck with 048.601 abutment	4.8	048.108	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck - synOcta 1.5 Needed	4.8	048.124	✓	✓	✓	✓	✓	✓	□	4B-A / IO_4B-A	50.009 / 52.009	□	4B-A / IO_4B-A	50.009 / 52.009	□	4B-A / IO_4B-A	50.009 / 52.009	□	Elos (4B-A)	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck - synOcta 1.5 Non-Compatible	4.8	048.124	✓	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	Elos (4B-A)	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck with 048.610 abutment	4.8	048.124	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	Elos (4B-A)	□	□	✕	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck with 048.611 abutment	4.8	048.124	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	Elos (4B-A)	□	□	✕	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck with 048.616 abutment	4.8	048.124	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	Elos (4B-A)	□	□	✕	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck with 048.618 abutment	4.8	048.124	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	Elos (4B-A)	□	□	✕	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck with 048.802 abutment	4.8	048.124	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	Elos (4B-A)	□	□	✕	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Standard Plus Implants / Narrow Neck Crossfit	3.5	048.127	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✕	✓	✕	□	3	25	34017 / 34021	35 N·cm
	Standard Plus Implants / Narrow Neck	3.5	048.130	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	EO Implant Conical	3.5	048.136	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Regular Neck (Older Version)	4.2	048.142	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Standard Plus / Tapered Effect Implants / Wide Neck	6.5	048.171	✓	✓	✓	✓	✓	✓	✓	4B-B / IO_4B-B	50.045 / 52.045	□	4B-B / IO_4B-B	50.045 / 52.045	□	4B-B / IO_4B-B	50.045 / 52.045	□	Elos (4B-A)	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Wide Neck (WN) synOcta	6.5	048.072	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Bone Level X Implant Regular Base	3.5 / 3,75 / 4,0 / 4,5	065.0021	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level X Implant Wide Base	5,0 / 5,5 / 6,5	065.0022	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Narrow CrossFit / Abutment	3.5	023.2754	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Narrow CrossFit / Multi-base abutment	4.6	023.4756	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Bone Level Tapered SC / Small CrossFit	2.9	025.0023	✓	✓	□	□	✓	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Narrow CrossFit	3.3	025.2101	✓	✓	✓	✓	✓	✓	✓	4A-A / IO_4A-A	50.043 / 52.043	□	4A-A / IO_4A-A	50.043 / 52.043	□	4A-A / IO_4A-A	50.043 / 52.043	□	Elos (4A-A)	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Narrow CrossFit / Multi-Base Abutment	3.5	025.2131	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Regular CrossFit / Multi-Base Abutment	4.5	025.2141	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Narrow CrossFit / Multi-Base Abutment 25°	4.0	025.2166	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Regular CrossFit	4.1	025.4101	✓	✓	✓	✓	✓	✓	✓	4A-B / IO 4A-B	50.044 / 52.044	□	4A-B / IO 4A-B	50.044 / 52.044	□	4A-B / IO 4A-B	50.044 / 52.044	□	Elos (4A-B)	□	□	✓	□	✓	✓	✓	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Regular CrossFit / Multi-Base Angled Abutment	4,1 / 4,8	025.4106	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Bone Level Implants / Regular CrossFit / Multi-Base Abutment	4,1 / 4,8	025.4161	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	3	25	34017 / 34021	35 N·cm
	Tissue Level X Implants (TLX) / Regular TorcFit (RT)	3,75 / 4,5	36.0102	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	✓	3	25	34017 / 34021	35 N·cm
Sweden & Martina	Premium KOHNO	3.3	A-ANA-330	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Premium KOHNO	3.8	A-ANA-380	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Premium KOHNO	4.25	A-ANA-425	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SHELT A	4.25	SH-ANA-425	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	P.A.D. (Disparallel Screwed Prosthesis	5.0	PAD-ANA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Sybron	Innova Endopore Implants	3.5	Innova 3.5	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Innova Endopore Implants	4.0	Innova 4.0	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Innova Endopore Implants	5.0	Innova 5.0	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Endopore Implants / External Hex	3.5	06M-PIA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Endopore Implants / External Hex	4.1	06B-PIA	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	□	□	□	5	20	34015 / 34019	15 N·cm
	Endopore Implants / External Hex	5.0	06WB-PIA	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	□	□	□	5	20	34015 / 34019	15 N·cm
	PITT-EASY Implants System	3.25	90065	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	25 N·cm
	PITT-EASY Implants System	3.75	90066	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	25 N·cm
	PITT-EASY Implants System	4.0	90067	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	17	34014 / 34018	25 N·cm
Tag Dental	Axis / Massif	3.3 / 3.75 / 4.2 / 5.0 / 6.0	PP1-0001	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	17	34014 / 34018	30 N·cm
	Multi-Unit Abutment	3,75 / 4,2 / 5,0 / 6,0	PO1-0021	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	17	34014 / 34018	30 N·cm
Tatum Surgical	Integrity Tapered Implant System / Titanium Abutment	4.0	4.0 UCLA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integrity Tapered Implant System / Titanium Abutment	4.0	ITI-UA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integrity Tapered Implant System	3.5	Uniport 3.5	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
Thommen	SPI VARIO for bridge / PF 3.5	3.5	3.03.090	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	SPI VARIO for bridge / PF 4.0	4.0	3.03.095	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	SPI TEMPORARY / PF 4.5	4.5	3.03.091	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	SPI TEMPORARY / PF 5.0	5.0	3.03.092	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	SPI TEMPORARY / PF 6.0	6.0	3.03.093	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	SPI VARIOMulti	4.8	3.03.800	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
Titan Implant	Steri-Oss Replace Implants / External Hex	3.5	SR-3SIAR	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Steri-Oss Replace Implants / External Hex	4.3	SR-4IBAR	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Steri-Oss Replace Implants / Flat top Non-Hex	3.25	S-3.25IA-FT	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Steri-Oss Replace Implants / Flat top Non-Hex	3.8	S-3IBA-FT	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□
	Steri-Oss Replace Implants / HL-Series	6.0	S-6IA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Innova Endopore Implants / External Hex	4.1	T-4IAT -AL-IP	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Innova Compatible External Hex 4.1mm - Old Design (Before Year 2000)	4.1	IE-O-4EIA-AL	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	✓	✓	✓	□	5	20	34015 / 34019	15 N·cm
	3i TG Connection Systems	4.8	TN-4IBTGHAA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	3i TG Connection Systems	4.8	T-4IBTGHAA	✓	□	□	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	□	□	5	20	34015 / 34019	15 N·cm
	IMTEC External Hex	3.3	I-3IIA-AL	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✕	✕	✕	✕	✕	✕	✕	✕	✕
	Calcitek Integral 4.0 / Non-Hex	4.0	C-4INTIA	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✕ : Not Available

PLATFORM IDENTIFICATION					MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL								
COMPANY	DESCRIPTION		SIZE	Manufacturer Analog	BAR / BRIDGE Material					Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
					Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
	NobelBiocare Steri-Oss Conical 6.0 / External Hex Compatible 5.0/6.0mm Conical Abutment	Steri-Oss HL-Series	6.0	S-SCAA	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm

PANTHERA DENTAL PLATFORMS DATABASE

Base Systems :
MBS : Metal Base System
CBS : Cement Base System

✓ : Available
□ : Call to add it
✗ : Not Available

PLATFORM IDENTIFICATION				MILLING OPTIONS							3SHAPE / EXOCAD / DENTALWINGS												ANGULATED SCREW CHANNEL								
				Material		BAR / BRIDGE			Abutment Material		3 SHAPE			3 SHAPE (U.S.A.)			EXOCAD			DWS			Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut	MANUFACTURED	Angulation max (original screwdriver)	ANGULATION MAX (Panthera screwdriver)	SCREWDRIVER (LONG/SHORT)	RECOMMENDED TORQUE*
COMPANY	DESCRIPTION	SIZE	Manufacturer Analog	Ti-CoCr-PMMA	Zr-Pekk	Integrated Bar	Lock 'N' Release	Diamart	Ti-CoCr-PMMA	Zr-Pekk	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other									
Victory	Implant Monobloc / LargePost / External Hex	4.5	APL	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗
Zimmer	Tapered Screw-Vent System / AdVent Platform	4.5	AVR	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗
	Tapered Screw-Vent System	4.5	ACTR	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Internal Implant System	3.5	IA2	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Tapered Screw-Vent System	3.5	IA3	✓	✓	✓	✓	✓	✓	✓	SA-A / IO_SA-A	50.017 / 52.017	□	SA-A / IO_SA-A	50.017 / 52.017	□	SA-A / IO_SA-A	50.017 / 52.017	□	Elos (SA-A)	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Tapered Screw-Vent System	4.5	IA4	✓	✓	✓	✓	✓	✓	✓	SA-A / IO_SA-A	50.017 / 52.017	□	SA-A / IO_SA-A	50.017 / 52.017	□	SA-A / IO_SA-A	50.017 / 52.017	□	Elos (SA-A)	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Tapered Screw-Vent System	5.7	IA5	✓	✓	✓	✓	✓	✓	□	SA-B / IO_SA-B	50.019 / 52.019	□	SA-B / IO_SA-B	50.019 / 52.019	□	SA-B / IO_SA-B	50.019 / 52.019	□	Elos (SA-B)	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	Esthetic 3,1	3.1	CIANP	✓	✓	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	✓	5	20	34015 / 34019	15 N·cm
	SwissPLUS System	4.8	OPR	✓	□	✓	✓	✓	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	BTO System	4.0	BTO	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integral 3.25 System	3.25	0431	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Not Available	4.0	0685	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	SwissPlus Implant System	3.8	SPMR	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Integral 4.0 System MD	4.0	0837	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗
	Integral SA System MD	4.0	4S-000015	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✗	✗	✗	✗	✗	✗	✗	✗	✗
	Spectra-Cone Implant System	4.5	SCR	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spline Implant System / Shouldered Abutment	4.5	1657	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spline Implant System	3.25	1830	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spline Implant System	3.75	1831	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spline Implant System	4.0	1831	✓	✓	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm
	Spline Implant System	5.0	1832	✓	□	□	□	✓	□	□	□	□	□	□	□	□	□	□	□	□	□	□	✓	□	✓	✓	□	5	20	34015 / 34019	15 N·cm

STATISTICS	MILLING OPTIONS							3 SHAPE			3 SHAPE (U.S.A)			EXOCAD			DWS			ANGULATED SCREW CHANNEL			
COMPATIBILITY	BAR	Zircon	Integrated Bar	Lock 'N' Release	Diamart	ABUTMENT Ti - CoCr - PMMA	ABUTMENT Zr - Pekkton	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Elos	Dess	Other	Metal Bar-Bridge	Metal Abut	Zr-Pekk Bar-Bridge	Zr-Pekk Abut
Number of Compatibility	711	316	246	246	709	246	46	41	41	31	19	19	8	41	41	31	36	0	8	418	41	82	433	422
% of Compatibility	100%	44%	35%	35%	100%	35%	6%	5.8%	5.8%	4.4%	2.7%	2.7%	1.1%	5.8%	5.8%	4.4%	5.1%	0.0%	1.1%	58.9%	5.8%	11.5%	60.9%	59.4%

*Toujours valider le torque requis selon les instructions du fabricant
*Always validate the required torque with the instruction of the manufacturer

Il est possible que la vente de certains produits ne soit pas autorisée dans tous les pays. Veuillez contacter votre représentant local Panthera Dental inc. pour plus d'informations sur la gamme complète disponible.

Some products may not be regulatory cleared/released for sale in all markets. Please contact your local Panthera Dental Inc. representative for current product assortment and availability.